



 **TETRA**
SELECTED FOR QUALITY

TETRA-SL LL
COMMERCIAL LAYER
CHARTS AND GRAPHS

TETRA-SL LL Commercial Layer Performance Specifications

Liveability	
0-17 weeks of age	97 - 98%
18-100 weeks of age	92 - 94%
Feed consumption	
0-17 weeks of age	5.7-6.1 kg
18-100 weeks of age (average)	110-120 g/day
Body weight	
At 17 weeks of age	1.35-1.46 kg
At 100 weeks of age	1.90-2.05 kg
Maturity	
Age at 50% production	140-150 days
Age at 90% production	160-170 days
Egg production per hen housed	
Peak production	95-97%
Production over 90%	31-33 weeks
Until 72 weeks of age	329-337
Until 80 weeks of age	374-383
Until 100 weeks of age	479-491
Egg mass per hen housed	
Until 72 weeks of age	20.8-21.3 kg
Until 80 weeks of age	23.9-24.4 kg
Until 100 weeks of age	31.0-31.8 kg
Egg weight (weekly average)	
Until 72 weeks of age	66.3-68.3 g
Until 80 weeks of age	66.5-68.5 g
Until 100 weeks of age	67.0-69.0 g
Average egg weight	64.0-65.5 g
Eggshell	
Shell strength	40 N
Shell colour	Brown

Weight Development and Feed Intake of TETRA-SL LL Pullets

Age (weeks)	Body Weight (g)	Feed Consumption		Feed Type
	Range	Average (g/day)	Cumulative (kg)	
1	76 - 82	10	0.1	Starter I
2	127 - 138	18	0.2	
3	191 - 207	24	0.4	
4	269 - 291	30	0.6	
5	362 - 392	36	0.8	Starter II
6	461 - 500	40	1.1	
7	562 - 609	45	1.4	
8	659 - 714	49	1.8	
9	753 - 816	53	2.1	Grower
10	842 - 913	56	2.5	
11	928 - 1005	60	2.9	
12	1009 - 1094	63	3.4	
13	1084 - 1174	66	3.8	
14	1153 - 1249	69	4.3	
15	1217 - 1319	72	4.8	
16	1282 - 1389	76	5.4	
17	1345 - 1457	79	5.9	
18	1407 - 1525	83	6.5	
19	1472 - 1595	89	7.1	Pre-layer

* Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.

Nutritional Recommendation for TETRA-SL LL Pullets

Feed Type		Starter I	Starter II	Grower	Pre-layer
Age (weeks)		0-3	4-8	9-17	18-19
NUTRIENT					
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of TETRA-SL LL Layers

Age (weeks)	Body Weight (g)	Feed Consumption	
	Range	Average (g/day)	Cumulative (kg)
20	1533 - 1661	95	0.7
21	1582 - 1714	97	1.3
22	1626 - 1761	100	2.0
23	1663 - 1801	102	2.8
24	1693 - 1834	104	3.5
25	1716 - 1859	106	4.2
26	1734 - 1878	107	5.0
27	1752 - 1898	109	5.7
28	1766 - 1914	110	6.5
29	1775 - 1923	111	7.3
30	1788 - 1937	112	8.1
35	1795 - 1945	112	12.0
40	1803 - 1953	113	16.0
45	1811 - 1962	113	19.9
50	1819 - 1970	114	23.9
55	1826 - 1978	114	27.9
60	1834 - 1987	115	31.9
65	1842 - 1995	116	36.0
70	1849 - 2004	116	40.1
75	1857 - 2012	117	44.1
80	1865 - 2020	117	48.2
85	1873 - 2029	118	52.4
90	1880 - 2037	118	56.5
95	1888 - 2045	119	60.6
100	1896 - 2054	119	64.8

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for TETRA-SL LL Layers with Average Daily Feed Consumption (115 g/day)

Feed Type		Layer I	Layer II	Layer III	Layer IV
Age (weeks)		19-45	46-65	66-80	81-100
Production		>90%	>80%	>70%	<70%
NUTRIENT					
Met. energy (MJ/kg)	Mj/kg	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	kcal/kg	2800	2750	2740	2725
Crude protein	%	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL					
Lysine	%	0.84	0.80	0.78	0.75
Methionine	%	0.42	0.40	0.39	0.36
Methionine+cysteine	%	0.73	0.71	0.68	0.65
Threonine	%	0.58	0.56	0.55	0.52
Valine	%	0.67	0.64	0.62	0.60
Arginine	%	0.86	0.83	0.80	0.76
Tryptophan	%	0.17	0.16	0.16	0.15
Isoleucine	%	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE					
Lysine	%	0.68	0.66	0.64	0.61
Methionine	%	0.36	0.35	0.32	0.30
Methionine+cysteine	%	0.60	0.59	0.56	0.54
Threonine	%	0.47	0.46	0.45	0.42
Valine	%	0.55	0.53	0.51	0.49
Arginine	%	0.71	0.67	0.65	0.62
Tryptophan	%	0.14	0.13	0.13	0.12
Isoleucine	%	0.55	0.52	0.50	0.49
Linoleic acid	%	1.80	1.75	1.65	1.55
Calcium	%	3.80	3.90	4.00	4.10
Phosphorus, av.	%	0.40	0.38	0.36	0.35
Sodium	%	0.16	0.16	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer rations production level is more important than the actual age of the flock.

In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for TETRA-SL LL Layers with Different Daily Feed Consumptions


Feed Type		Layer I			Layer II			Layer III			Layer IV		
Daily feed consumption		110 g	115 g	120 g	110 g	115 g	120 g	110 g	115 g	120 g	110 g	115 g	120 g
NUTRIENT													
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

Production Targets for TETRA-SL LL Layers


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.5 - 10.5	8.5 - 10.5	0.6 - 0.7	0.6 - 0.7	42.3 - 44.3	38.9 - 48.0	25.8 - 31.8	0.0 - 0.0
20	24.9 - 26.9	24.9 - 26.9	1.7 - 1.9	2.3 - 2.6	45.0 - 47.0	42.8 - 47.8	80.2 - 86.6	0.1 - 0.1
21	55.4 - 57.4	55.5 - 57.5	3.9 - 4.0	6.2 - 6.6	48.2 - 50.2	46.2 - 49.2	190.8 - 197.7	0.3 - 0.3
22	80.7 - 82.7	80.9 - 82.9	5.6 - 5.8	11.9 - 12.4	50.7 - 52.7	48.5 - 50.7	292.1 - 299.3	0.6 - 0.6
23	90.6 - 92.6	90.9 - 92.9	6.3 - 6.5	18.2 - 18.9	52.6 - 54.6	50.1 - 51.9	340.0 - 347.5	0.9 - 1.0
24	93.1 - 95.1	93.5 - 95.5	6.5 - 6.7	24.7 - 25.6	54.9 - 56.9	51.4 - 53.1	364.4 - 372.2	1.3 - 1.3
25	94.7 - 96.7	95.2 - 97.2	6.6 - 6.8	31.4 - 32.3	56.2 - 58.2	52.5 - 54.1	379.3 - 387.3	1.7 - 1.7
26	95.0 - 97.0	95.6 - 97.6	6.7 - 6.8	38.0 - 39.1	57.7 - 59.7	53.5 - 55.0	390.5 - 398.7	2.1 - 2.1
27	95.3 - 97.3	95.9 - 97.9	6.7 - 6.8	44.7 - 45.9	58.5 - 60.5	54.3 - 55.8	397.0 - 405.4	2.5 - 2.5
28	95.4 - 97.4	96.1 - 98.1	6.7 - 6.8	51.4 - 52.8	59.1 - 61.1	55.0 - 56.4	401.5 - 409.9	2.9 - 2.9
29	95.3 - 97.3	96.1 - 98.1	6.7 - 6.8	58.0 - 59.6	59.5 - 61.5	55.5 - 57.0	403.7 - 412.2	3.3 - 3.3
30	95.2 - 97.2	96.1 - 98.1	6.7 - 6.8	64.7 - 66.4	59.9 - 61.9	56.0 - 57.4	406.0 - 414.5	3.7 - 3.8
31	95.1 - 97.1	96.0 - 98.0	6.7 - 6.8	71.3 - 73.2	60.3 - 62.3	56.5 - 57.8	408.2 - 416.8	4.1 - 4.2
32	95.0 - 97.0	96.0 - 98.0	6.7 - 6.8	78.0 - 80.0	60.5 - 62.5	56.8 - 58.2	409.1 - 417.7	4.5 - 4.6
33	94.9 - 96.9	96.0 - 98.0	6.6 - 6.8	84.6 - 86.7	60.7 - 62.7	57.2 - 58.5	410.0 - 418.7	4.9 - 5.0
34	94.8 - 96.8	96.0 - 98.0	6.6 - 6.8	91.3 - 93.5	60.9 - 62.9	57.5 - 58.8	410.9 - 419.6	5.3 - 5.4
35	94.7 - 96.7	96.0 - 98.0	6.6 - 6.8	97.9 - 100.3	61.1 - 63.1	57.7 - 59.1	411.8 - 420.5	5.7 - 5.9
36	94.6 - 96.6	95.9 - 97.9	6.6 - 6.8	104.5 - 107.0	61.3 - 63.3	58.0 - 59.3	412.7 - 421.4	6.1 - 6.3
37	94.4 - 96.4	95.8 - 97.8	6.6 - 6.7	111.1 - 113.8	61.5 - 63.5	58.2 - 59.6	413.2 - 421.9	6.5 - 6.7
38	94.2 - 96.2	95.7 - 97.7	6.6 - 6.7	117.7 - 120.5	61.7 - 63.7	58.4 - 59.8	413.6 - 422.4	7.0 - 7.1
39	94.0 - 96.0	95.6 - 97.6	6.6 - 6.7	124.3 - 127.2	61.9 - 63.9	58.6 - 60.0	414.1 - 422.9	7.4 - 7.5
40	93.8 - 95.8	95.4 - 97.4	6.6 - 6.7	130.9 - 134.0	62.1 - 64.1	58.8 - 60.2	414.5 - 423.3	7.8 - 8.0
41	93.6 - 95.6	95.3 - 97.3	6.6 - 6.7	137.4 - 140.6	62.3 - 64.3	59.0 - 60.4	414.9 - 423.8	8.2 - 8.4
42	93.4 - 95.4	95.2 - 97.2	6.5 - 6.7	144.0 - 147.3	62.5 - 64.5	59.2 - 60.5	415.3 - 424.2	8.6 - 8.8
43	93.1 - 95.1	95.0 - 97.0	6.5 - 6.7	150.5 - 154.0	62.7 - 64.7	59.3 - 60.7	415.3 - 424.2	9.0 - 9.2
44	92.8 - 94.8	94.7 - 96.7	6.5 - 6.6	157.0 - 160.6	62.9 - 64.9	59.5 - 60.9	415.3 - 424.2	9.5 - 9.7
45	92.5 - 94.5	94.5 - 96.5	6.5 - 6.6	163.5 - 167.2	63.1 - 65.1	59.7 - 61.0	415.2 - 424.2	9.9 - 10.1
46	92.2 - 94.2	94.3 - 96.3	6.5 - 6.6	169.9 - 173.8	63.3 - 65.3	59.8 - 61.2	415.2 - 424.2	10.3 - 10.5
47	91.9 - 93.9	94.1 - 96.1	6.4 - 6.6	176.3 - 180.4	63.5 - 65.5	60.0 - 61.3	415.1 - 424.1	10.7 - 10.9
48	91.6 - 93.6	93.8 - 95.8	6.4 - 6.6	182.7 - 186.9	63.7 - 65.7	60.1 - 61.5	415.0 - 424.1	11.1 - 11.4
49	91.3 - 93.3	93.6 - 95.6	6.4 - 6.5	189.1 - 193.5	63.9 - 65.9	60.2 - 61.6	415.0 - 424.1	11.5 - 11.8
50	91.0 - 93.0	93.4 - 95.4	6.4 - 6.5	195.5 - 200.0	64.1 - 66.1	60.4 - 61.7	414.9 - 424.0	11.9 - 12.2
51	90.7 - 92.7	93.1 - 95.1	6.3 - 6.5	201.9 - 206.5	64.3 - 66.3	60.5 - 61.9	414.8 - 423.9	12.4 - 12.6
52	90.4 - 92.4	92.9 - 94.9	6.3 - 6.5	208.2 - 212.9	64.5 - 66.5	60.6 - 62.0	414.7 - 423.9	12.8 - 13.1
53	90.0 - 92.0	92.6 - 94.6	6.3 - 6.4	214.5 - 219.4	64.7 - 66.7	60.8 - 62.1	414.1 - 423.3	13.2 - 13.5
54	89.6 - 91.6	92.2 - 94.2	6.3 - 6.4	220.8 - 225.8	64.9 - 66.9	60.9 - 62.3	413.5 - 422.8	13.6 - 13.9
55	89.2 - 91.2	91.9 - 93.9	6.2 - 6.4	227.0 - 232.2	65.1 - 67.1	61.0 - 62.4	412.9 - 422.2	14.0 - 14.3
56	88.8 - 90.8	91.6 - 93.6	6.2 - 6.4	233.2 - 238.5	65.3 - 67.3	61.1 - 62.5	412.3 - 421.6	14.4 - 14.7
57	88.4 - 90.4	91.2 - 93.2	6.2 - 6.3	239.4 - 244.9	65.5 - 67.5	61.3 - 62.6	411.7 - 421.0	14.8 - 15.2
58	88.0 - 90.0	90.9 - 92.9	6.2 - 6.3	245.6 - 251.2	65.7 - 67.7	61.4 - 62.8	411.1 - 420.4	15.2 - 15.6
59	87.6 - 89.6	90.6 - 92.6	6.1 - 6.3	251.7 - 257.4	65.9 - 67.9	61.5 - 62.9	410.4 - 419.8	15.7 - 16.0

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
60	87.2 - 89.2	90.2 - 92.2	6.1 - 6.2	257.8 - 263.7	66.0 - 68.0	61.6 - 63.0	409.2 - 418.6	16.1 - 16.4
61	86.8 - 88.8	89.9 - 91.9	6.1 - 6.2	263.9 - 269.9	66.0 - 68.0	61.7 - 63.1	407.3 - 416.7	16.5 - 16.8
62	86.4 - 88.4	89.6 - 91.6	6.0 - 6.2	269.9 - 276.1	66.0 - 68.0	61.8 - 63.2	405.4 - 414.8	16.9 - 17.3
63	86.1 - 88.1	89.2 - 91.2	6.0 - 6.2	276.0 - 282.3	66.1 - 68.1	61.9 - 63.3	404.6 - 414.0	17.3 - 17.7
64	85.7 - 87.7	88.9 - 90.9	6.0 - 6.1	282.0 - 288.4	66.1 - 68.1	62.0 - 63.4	402.7 - 412.1	17.7 - 18.1
65	85.3 - 87.3	88.5 - 90.5	6.0 - 6.1	287.9 - 294.5	66.1 - 68.1	62.1 - 63.5	400.9 - 410.3	18.1 - 18.5
66	84.9 - 86.9	88.2 - 90.2	5.9 - 6.1	293.9 - 300.6	66.1 - 68.1	62.2 - 63.6	399.0 - 408.4	18.5 - 18.9
67	84.5 - 86.5	87.9 - 89.9	5.9 - 6.1	299.8 - 306.6	66.2 - 68.2	62.3 - 63.7	397.7 - 407.1	18.9 - 19.3
68	84.1 - 86.1	87.5 - 89.5	5.9 - 6.0	305.7 - 312.7	66.2 - 68.2	62.3 - 63.8	395.8 - 405.2	19.3 - 19.7
69	83.7 - 85.7	87.2 - 89.2	5.9 - 6.0	311.5 - 318.7	66.2 - 68.2	62.4 - 63.8	393.9 - 403.3	19.7 - 20.1
70	83.3 - 85.3	86.8 - 88.8	5.8 - 6.0	317.4 - 324.6	66.2 - 68.2	62.5 - 63.9	392.0 - 401.5	20.1 - 20.5
71	82.9 - 84.9	86.5 - 88.5	5.8 - 5.9	323.2 - 330.6	66.3 - 68.3	62.6 - 64.0	390.7 - 400.2	20.5 - 20.9
72	82.5 - 84.5	86.2 - 88.2	5.8 - 5.9	328.9 - 336.5	66.3 - 68.3	62.6 - 64.1	388.9 - 398.3	20.8 - 21.3
73	82.1 - 84.1	85.8 - 87.8	5.7 - 5.9	334.7 - 342.4	66.3 - 68.3	62.7 - 64.1	387.0 - 396.4	21.2 - 21.7
74	81.7 - 83.7	85.5 - 87.5	5.7 - 5.9	340.4 - 348.2	66.3 - 68.3	62.8 - 64.2	385.1 - 394.5	21.6 - 22.1
75	81.3 - 83.3	85.1 - 87.1	5.7 - 5.8	346.1 - 354.1	66.4 - 68.4	62.8 - 64.3	383.8 - 393.2	22.0 - 22.5
76	80.9 - 82.9	84.8 - 86.8	5.7 - 5.8	351.8 - 359.9	66.4 - 68.4	62.9 - 64.3	381.9 - 391.3	22.4 - 22.9
77	80.5 - 82.5	84.4 - 86.4	5.6 - 5.8	357.4 - 365.7	66.4 - 68.4	63.0 - 64.4	380.0 - 389.4	22.8 - 23.3
78	80.1 - 82.1	84.1 - 86.1	5.6 - 5.7	363.0 - 371.4	66.4 - 68.4	63.0 - 64.5	378.1 - 387.5	23.1 - 23.7
79	79.7 - 81.7	83.7 - 85.7	5.6 - 5.7	368.6 - 377.1	66.5 - 68.5	63.1 - 64.5	376.8 - 386.2	23.5 - 24.1
80	79.3 - 81.3	83.4 - 85.4	5.6 - 5.7	374.1 - 382.8	66.5 - 68.5	63.1 - 64.6	374.9 - 384.3	23.9 - 24.4
81	78.9 - 80.9	83.0 - 85.0	5.5 - 5.7	379.7 - 388.5	66.5 - 68.5	63.2 - 64.6	373.0 - 382.4	24.3 - 24.8
82	78.5 - 80.5	82.7 - 84.7	5.5 - 5.6	385.1 - 394.1	66.5 - 68.5	63.2 - 64.7	371.1 - 380.6	24.6 - 25.2
83	78.1 - 80.1	82.3 - 84.3	5.5 - 5.6	390.6 - 399.7	66.6 - 68.6	63.3 - 64.7	369.8 - 379.2	25.0 - 25.6
84	77.7 - 79.7	82.0 - 84.0	5.4 - 5.6	396.1 - 405.3	66.6 - 68.6	63.3 - 64.8	367.9 - 377.3	25.4 - 26.0
85	77.3 - 79.3	81.6 - 83.6	5.4 - 5.6	401.5 - 410.8	66.6 - 68.6	63.4 - 64.8	366.0 - 375.4	25.7 - 26.3
86	76.9 - 78.9	81.3 - 83.3	5.4 - 5.5	406.8 - 416.4	66.6 - 68.6	63.4 - 64.9	364.1 - 373.5	26.1 - 26.7
87	76.5 - 78.5	80.9 - 82.9	5.4 - 5.5	412.2 - 421.9	66.7 - 68.7	63.5 - 64.9	362.7 - 372.2	26.5 - 27.1
88	76.1 - 78.1	80.6 - 82.6	5.3 - 5.5	417.5 - 427.3	66.7 - 68.7	63.5 - 65.0	360.8 - 370.3	26.8 - 27.5
89	75.7 - 77.7	80.2 - 82.2	5.3 - 5.4	422.8 - 432.8	66.7 - 68.7	63.5 - 65.0	358.9 - 368.4	27.2 - 27.8
90	75.3 - 77.3	79.9 - 81.9	5.3 - 5.4	428.1 - 438.2	66.7 - 68.7	63.6 - 65.1	357.0 - 366.5	27.5 - 28.2
91	74.9 - 76.9	79.5 - 81.5	5.2 - 5.4	433.3 - 443.6	66.8 - 68.8	63.6 - 65.1	355.7 - 365.2	27.9 - 28.6
92	74.5 - 76.5	79.2 - 81.2	5.2 - 5.4	438.6 - 448.9	66.8 - 68.8	63.7 - 65.2	353.8 - 363.3	28.3 - 28.9
93	74.1 - 76.1	78.8 - 80.8	5.2 - 5.3	443.7 - 454.2	66.8 - 68.8	63.7 - 65.2	351.9 - 361.4	28.6 - 29.3
94	73.7 - 75.7	78.5 - 80.5	5.2 - 5.3	448.9 - 459.5	66.8 - 68.8	63.7 - 65.2	350.0 - 359.5	29.0 - 29.6
95	73.3 - 75.3	78.1 - 80.1	5.1 - 5.3	454.0 - 464.8	66.9 - 68.9	63.8 - 65.3	348.6 - 358.1	29.3 - 30.0
96	72.9 - 74.9	77.8 - 79.8	5.1 - 5.2	459.1 - 470.1	66.9 - 68.9	63.8 - 65.3	346.7 - 356.2	29.6 - 30.4
97	72.5 - 74.5	77.4 - 79.4	5.1 - 5.2	464.2 - 475.3	66.9 - 68.9	63.9 - 65.4	344.8 - 354.3	30.0 - 30.7
98	72.1 - 74.1	77.0 - 79.0	5.0 - 5.2	469.3 - 480.5	66.9 - 68.9	63.9 - 65.4	342.9 - 352.4	30.3 - 31.1
99	71.7 - 73.7	76.7 - 78.7	5.0 - 5.2	474.3 - 485.6	67.0 - 69.0	63.9 - 65.4	341.5 - 351.0	30.7 - 31.4
100	71.3 - 73.3	76.3 - 78.3	5.0 - 5.1	479.3 - 490.7	67.0 - 69.0	64.0 - 65.5	339.6 - 349.1	31.0 - 31.8

Rearing Targets for TETRA-SL LL Pullets



Production Targets for TETRA-SL LL Layers



The content of this Management Guide is accurate and reliable at the time of publication. However Bábolna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, Bábolna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Bábolna TETRA Ltd.

BÁBOLNA TETRA Ltd.

2943 Bábolna, Radnóti M. u. 16., Hungary

Tel.: +36 95 345 008

E-mail: info@babolnatetra.com

www.babolnatetra.com

TETRA-SL LL
2023