



TETRA
SELECTED FOR QUALITY

TETRA COUNTRY
COMMERCIAL LAYER
CHARTS AND GRAPHS



NATIONAL RESEARCH, DEVELOPMENT
AND INNOVATION OFFICE
HUNGARY

PROGRAM FINANCED
FROM THE NRDI FUND

TETRA COUNTRY Commercial Layer Performance Specifications

Liveability	
0-17 weeks of age	97 - 98%
18-100 weeks of age	92 - 94%
Feed consumption	
0-17 weeks of age	5.8-6.2 kg
18-100 weeks of age (average)	110-120 g/day
Body weight	
At 17 weeks of age	1.36-1.47 kg
At 100 weeks of age	1.90-2.06 kg
Maturity	
Age at 50% production	140-150 days
Age at 90% production	160-170 days
Egg production per hen housed	
Peak production	94-96%
Production over 90%	29-31 weeks
Until 72 weeks of age	325-333
Until 80 weeks of age	370-379
Until 100 weeks of age	474-485
Egg mass per hen housed	
Until 72 weeks of age	20.7-21.1 kg
Until 80 weeks of age	23.7-24.2 kg
Until 100 weeks of age	30.8-31.5 kg
Egg weight (weekly average)	
Until 72 weeks of age	66.5-68.5 g
Until 80 weeks of age	66.7-68.7 g
Until 100 weeks of age	67.2-69.2 g
Average egg weight	64.1-65.7 g
Eggshell	
Shell strength	40 N
Shell colour	Brown

Weight Development and Feed Intake of TETRA COUNTRY Pullets

Age (weeks)	Body Weight (g) Range	Feed Consumption		Feed Type
		Average (g/day)	Cumulative (kg)	
1	76 - 83	10	0.1	Starter I
2	129 - 139	18	0.2	
3	193 - 209	24	0.4	
4	271 - 294	31	0.6	
5	366 - 396	36	0.8	
6	466 - 505	40	1.1	
7	568 - 615	45	1.4	Starter II
8	666 - 721	50	1.8	
9	760 - 824	54	2.2	
10	851 - 922	57	2.6	
11	937 - 1015	60	3.0	
12	1020 - 1105	63	3.4	
13	1095 - 1186	66	3.9	Grower
14	1164 - 1261	70	4.4	
15	1230 - 1332	73	4.9	
16	1295 - 1403	76	5.4	
17	1358 - 1471	80	6.0	
18	1421 - 1540	84	6.6	
19	1487 - 1611	89	7.2	Pre-layer

* Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.

Nutritional Recommendation for TETRA COUNTRY Pullets

Feed Type		Starter I	Starter II	Grower	Pre-layer
Age (weeks)		0-3	4-8	9-17	18-19
NUTRIENT					
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of TETRA COUNTRY Layers

Age (weeks)	Body Weight (g) Range	Feed Consumption	
		Average (g/day)	Cumulative (kg)
20	1535 - 1663	95	0.7
21	1584 - 1716	99	1.4
22	1627 - 1763	101	2.1
23	1664 - 1803	104	2.8
24	1694 - 1835	106	3.5
25	1718 - 1861	108	4.3
26	1735 - 1880	109	5.0
27	1754 - 1900	110	5.8
28	1768 - 1915	111	6.6
29	1777 - 1925	112	7.4
30	1789 - 1939	113	8.2
35	1797 - 1947	114	12.2
40	1805 - 1955	114	16.2
45	1813 - 1964	115	20.2
50	1820 - 1972	116	24.2
55	1828 - 1980	116	28.3
60	1836 - 1989	117	32.4
65	1844 - 1997	117	36.5
70	1851 - 2006	118	40.6
75	1859 - 2014	118	44.7
80	1867 - 2022	119	48.9
85	1874 - 2031	119	53.1
90	1882 - 2039	120	57.3
95	1890 - 2047	120	61.5
100	1898 - 2056	121	65.7

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for TETRA COUNTRY Layers with Average Daily Feed Consumption (115 g/day)

Feed Type		Layer I 19-45	Layer II 46-65	Layer III 66-80	Layer IV 81-100
Age (weeks)		19-45	46-65	66-80	81-100
Production		>90%	>80%	>70%	<70%
NUTRIENT					
Met. energy (MJ/kg)	Mj/kg	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	kcal/kg	2800	2750	2740	2725
Crude protein	%	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL					
Lysine	%	0.84	0.80	0.78	0.75
Methionine	%	0.42	0.40	0.39	0.36
Methionine+cysteine	%	0.73	0.71	0.68	0.65
Threonine	%	0.58	0.56	0.55	0.52
Valine	%	0.67	0.64	0.62	0.60
Arginine	%	0.86	0.83	0.80	0.76
Tryptophan	%	0.17	0.16	0.16	0.15
Isoleucine	%	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE					
Lysine	%	0.68	0.66	0.64	0.61
Methionine	%	0.36	0.35	0.32	0.30
Methionine+cysteine	%	0.60	0.59	0.56	0.54
Threonine	%	0.47	0.46	0.45	0.42
Valine	%	0.55	0.53	0.51	0.49
Arginine	%	0.71	0.67	0.65	0.62
Tryptophan	%	0.14	0.13	0.13	0.12
Isoleucine	%	0.55	0.52	0.50	0.49
Linoleic acid	%	1.80	1.75	1.65	1.55
Calcium	%	3.80	3.90	4.00	4.10
Phosphorus, av.	%	0.40	0.38	0.36	0.35
Sodium	%	0.16	0.16	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer ratios production level is more important than the actual age of the flock.

In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for TETRA COUNTRY Layers with Different Daily Feed Consumptions


Feed Type		Layer I			Layer II			Layer III			Layer IV		
Daily feed consumption		110 g	115 g	120 g	110 g	115 g	120 g	110 g	115 g	120 g	110 g	115 g	120 g
NUTRIENT													
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

Production Targets for TETRA COUNTRY Layers


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.4 - 10.4	8.4 - 10.4	0.6 - 0.7	0.6 - 0.7	42.4 - 44.4	39.0 - 48.2	25.5 - 31.6	0.0 - 0.0
20	24.6 - 26.6	24.6 - 26.6	1.7 - 1.9	2.3 - 2.6	45.1 - 47.1	42.9 - 48.0	79.4 - 85.9	0.1 - 0.1
21	54.8 - 56.8	54.8 - 56.8	3.8 - 4.0	6.1 - 6.6	48.3 - 50.3	46.3 - 49.4	189.2 - 196.1	0.3 - 0.3
22	79.8 - 81.8	80.0 - 82.0	5.6 - 5.7	11.7 - 12.3	50.8 - 52.8	48.6 - 50.8	289.5 - 296.8	0.6 - 0.6
23	89.6 - 91.6	89.9 - 91.9	6.3 - 6.4	18.0 - 18.7	52.7 - 54.7	50.2 - 52.0	337.1 - 344.6	0.9 - 1.0
24	92.1 - 94.1	92.5 - 94.5	6.4 - 6.6	24.5 - 25.3	55.1 - 57.1	51.6 - 53.3	361.4 - 369.2	1.3 - 1.3
25	93.7 - 95.7	94.1 - 96.1	6.6 - 6.7	31.0 - 32.0	56.4 - 58.4	52.7 - 54.3	376.2 - 384.2	1.7 - 1.7
26	94.0 - 96.0	94.5 - 96.5	6.6 - 6.7	37.6 - 38.7	57.9 - 59.9	53.6 - 55.2	387.3 - 395.6	2.0 - 2.1
27	94.2 - 96.2	94.9 - 96.9	6.6 - 6.7	44.2 - 45.4	58.7 - 60.7	54.4 - 55.9	393.4 - 401.8	2.4 - 2.5
28	94.3 - 96.3	95.0 - 97.0	6.6 - 6.7	50.8 - 52.2	59.3 - 61.3	55.1 - 56.6	397.8 - 406.3	2.8 - 2.9
29	94.2 - 96.2	95.0 - 97.0	6.6 - 6.7	57.4 - 58.9	59.7 - 61.7	55.7 - 57.1	400.1 - 408.6	3.2 - 3.3
30	94.2 - 96.2	95.0 - 97.0	6.6 - 6.7	64.0 - 65.7	60.1 - 62.1	56.2 - 57.6	402.7 - 411.3	3.6 - 3.7
31	94.1 - 96.1	95.0 - 97.0	6.6 - 6.7	70.6 - 72.4	60.5 - 62.5	56.6 - 58.0	404.9 - 413.5	4.0 - 4.1
32	94.0 - 96.0	95.0 - 97.0	6.6 - 6.7	77.1 - 79.1	60.7 - 62.7	57.0 - 58.4	405.8 - 414.5	4.5 - 4.6
33	93.9 - 95.9	94.9 - 96.9	6.6 - 6.7	83.7 - 85.8	60.9 - 62.9	57.3 - 58.7	406.7 - 415.4	4.9 - 5.0
34	93.8 - 95.8	94.9 - 96.9	6.6 - 6.7	90.3 - 92.5	61.1 - 63.1	57.6 - 59.0	407.6 - 416.3	5.3 - 5.4
35	93.7 - 95.7	94.9 - 96.9	6.6 - 6.7	96.8 - 99.2	61.3 - 63.3	57.9 - 59.3	408.5 - 417.2	5.7 - 5.8
36	93.6 - 95.6	94.9 - 96.9	6.6 - 6.7	103.4 - 105.9	61.5 - 63.5	58.1 - 59.5	409.4 - 418.1	6.1 - 6.2
37	93.4 - 95.4	94.7 - 96.7	6.5 - 6.7	109.9 - 112.6	61.7 - 63.7	58.4 - 59.7	409.8 - 418.6	6.5 - 6.6
38	93.2 - 95.2	94.6 - 96.6	6.5 - 6.7	116.5 - 119.3	61.9 - 63.9	58.6 - 60.0	410.2 - 419.0	6.9 - 7.1
39	93.0 - 95.0	94.5 - 96.5	6.5 - 6.7	123.0 - 125.9	62.1 - 64.1	58.8 - 60.2	410.7 - 419.5	7.3 - 7.5
40	92.8 - 94.8	94.4 - 96.4	6.5 - 6.6	129.5 - 132.5	62.3 - 64.3	59.0 - 60.4	411.1 - 420.0	7.7 - 7.9
41	92.6 - 94.6	94.3 - 96.3	6.5 - 6.6	135.9 - 139.2	62.5 - 64.5	59.2 - 60.5	411.5 - 420.4	8.1 - 8.3
42	92.4 - 94.4	94.1 - 96.1	6.5 - 6.6	142.4 - 145.8	62.7 - 64.7	59.3 - 60.7	411.9 - 420.8	8.5 - 8.7
43	92.1 - 94.1	93.9 - 95.9	6.4 - 6.6	148.9 - 152.4	62.9 - 64.9	59.5 - 60.9	411.9 - 420.8	9.0 - 9.2
44	91.8 - 93.8	93.7 - 95.7	6.4 - 6.6	155.3 - 158.9	63.1 - 65.1	59.7 - 61.0	411.8 - 420.8	9.4 - 9.6
45	91.5 - 93.5	93.5 - 95.5	6.4 - 6.5	161.7 - 165.5	63.3 - 65.3	59.8 - 61.2	411.8 - 420.8	9.8 - 10.0
46	91.2 - 93.2	93.2 - 95.2	6.4 - 6.5	168.1 - 172.0	63.5 - 65.5	60.0 - 61.3	411.7 - 420.7	10.2 - 10.4
47	90.9 - 92.9	93.0 - 95.0	6.4 - 6.5	174.4 - 178.5	63.7 - 65.7	60.1 - 61.5	411.6 - 420.7	10.6 - 10.8
48	90.6 - 92.6	92.8 - 94.8	6.3 - 6.5	180.8 - 185.0	63.9 - 65.9	60.3 - 61.6	411.5 - 420.6	11.0 - 11.3
49	90.3 - 92.3	92.6 - 94.6	6.3 - 6.5	187.1 - 191.4	64.1 - 66.1	60.4 - 61.8	411.4 - 420.6	11.4 - 11.7
50	90.0 - 92.0	92.3 - 94.3	6.3 - 6.4	193.4 - 197.9	64.3 - 66.3	60.5 - 61.9	411.3 - 420.5	11.8 - 12.1
51	89.7 - 91.7	92.1 - 94.1	6.3 - 6.4	199.7 - 204.3	64.5 - 66.5	60.7 - 62.1	411.2 - 420.4	12.3 - 12.5
52	89.4 - 91.4	91.9 - 93.9	6.3 - 6.4	205.9 - 210.7	64.7 - 66.7	60.8 - 62.2	411.1 - 420.3	12.7 - 13.0
53	89.0 - 91.0	91.5 - 93.5	6.2 - 6.4	212.2 - 217.1	64.9 - 66.9	60.9 - 62.3	410.5 - 419.8	13.1 - 13.4
54	88.6 - 90.6	91.2 - 93.2	6.2 - 6.3	218.4 - 223.4	65.1 - 67.1	61.1 - 62.4	409.9 - 419.2	13.5 - 13.8
55	88.2 - 90.2	90.9 - 92.9	6.2 - 6.3	224.5 - 229.7	65.3 - 67.3	61.2 - 62.6	409.3 - 418.6	13.9 - 14.2
56	87.8 - 89.8	90.6 - 92.6	6.1 - 6.3	230.7 - 236.0	65.5 - 67.5	61.3 - 62.7	408.7 - 418.0	14.3 - 14.6
57	87.5 - 89.5	90.2 - 92.2	6.1 - 6.3	236.8 - 242.3	65.7 - 67.7	61.4 - 62.8	408.5 - 417.9	14.7 - 15.0
58	87.1 - 89.1	89.9 - 91.9	6.1 - 6.2	242.9 - 248.5	65.9 - 67.9	61.5 - 62.9	407.9 - 417.3	15.1 - 15.5
59	86.7 - 88.7	89.6 - 91.6	6.1 - 6.2	249.0 - 254.7	66.1 - 68.1	61.7 - 63.1	407.2 - 416.6	15.5 - 15.9

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
60	86.3 - 88.3	89.2 - 91.2	6.0 - 6.2	255.0 - 260.9	66.2 - 68.2	61.8 - 63.2	406.0 - 415.4	15.9 - 16.3
61	85.9 - 87.9	88.9 - 90.9	6.0 - 6.2	261.0 - 267.1	66.2 - 68.2	61.9 - 63.3	404.1 - 413.5	16.3 - 16.7
62	85.5 - 87.5	88.6 - 90.6	6.0 - 6.1	267.0 - 273.2	66.2 - 68.2	62.0 - 63.4	402.2 - 411.6	16.7 - 17.1
63	85.1 - 87.1	88.2 - 90.2	6.0 - 6.1	273.0 - 279.3	66.3 - 68.3	62.1 - 63.5	400.9 - 410.3	17.1 - 17.5
64	84.7 - 86.7	87.9 - 89.9	5.9 - 6.1	278.9 - 285.3	66.3 - 68.3	62.2 - 63.6	399.0 - 408.5	17.5 - 17.9
65	84.3 - 86.3	87.6 - 89.6	5.9 - 6.0	284.8 - 291.4	66.3 - 68.3	62.3 - 63.7	397.1 - 406.6	17.9 - 18.3
66	83.9 - 85.9	87.2 - 89.2	5.9 - 6.0	290.7 - 297.4	66.3 - 68.3	62.3 - 63.8	395.3 - 404.7	18.3 - 18.7
67	83.5 - 85.5	86.9 - 88.9	5.8 - 6.0	296.5 - 303.4	66.4 - 68.4	62.4 - 63.9	394.0 - 403.4	18.7 - 19.2
68	83.1 - 85.1	86.6 - 88.6	5.8 - 6.0	302.3 - 309.3	66.4 - 68.4	62.5 - 63.9	392.1 - 401.5	19.1 - 19.6
69	82.7 - 84.7	86.2 - 88.2	5.8 - 5.9	308.1 - 315.3	66.4 - 68.4	62.6 - 64.0	390.2 - 399.6	19.5 - 20.0
70	82.3 - 84.3	85.9 - 87.9	5.8 - 5.9	313.9 - 321.2	66.4 - 68.4	62.7 - 64.1	388.3 - 397.7	19.9 - 20.4
71	81.9 - 83.9	85.5 - 87.5	5.7 - 5.9	319.6 - 327.0	66.5 - 68.5	62.7 - 64.2	387.0 - 396.4	20.3 - 20.7
72	81.5 - 83.5	85.2 - 87.2	5.7 - 5.8	325.3 - 332.9	66.5 - 68.5	62.8 - 64.2	385.1 - 394.6	20.7 - 21.1
73	81.1 - 83.1	84.9 - 86.9	5.7 - 5.8	331.0 - 338.7	66.5 - 68.5	62.9 - 64.3	383.2 - 392.7	21.0 - 21.5
74	80.8 - 82.8	84.5 - 86.5	5.7 - 5.8	336.7 - 344.5	66.5 - 68.5	62.9 - 64.4	381.8 - 391.2	21.4 - 21.9
75	80.4 - 82.4	84.2 - 86.2	5.6 - 5.8	342.3 - 350.3	66.6 - 68.6	63.0 - 64.5	380.5 - 389.9	21.8 - 22.3
76	80.0 - 82.0	83.8 - 85.8	5.6 - 5.7	347.9 - 356.0	66.6 - 68.6	63.1 - 64.5	378.6 - 388.0	22.2 - 22.7
77	79.6 - 81.6	83.5 - 85.5	5.6 - 5.7	353.5 - 361.7	66.6 - 68.6	63.1 - 64.6	376.7 - 386.1	22.6 - 23.1
78	79.2 - 81.2	83.2 - 85.2	5.5 - 5.7	359.0 - 367.4	66.6 - 68.6	63.2 - 64.6	374.8 - 384.3	22.9 - 23.5
79	78.8 - 80.8	82.8 - 84.8	5.5 - 5.7	364.5 - 373.1	66.7 - 68.7	63.2 - 64.7	373.5 - 382.9	23.3 - 23.9
80	78.4 - 80.4	82.5 - 84.5	5.5 - 5.6	370.0 - 378.7	66.7 - 68.7	63.3 - 64.8	371.6 - 381.0	23.7 - 24.2
81	78.0 - 80.0	82.1 - 84.1	5.5 - 5.6	375.5 - 384.3	66.7 - 68.7	63.3 - 64.8	369.7 - 379.1	24.1 - 24.6
82	77.6 - 79.6	81.8 - 83.8	5.4 - 5.6	380.9 - 389.9	66.7 - 68.7	63.4 - 64.9	367.8 - 377.2	24.4 - 25.0
83	77.2 - 79.2	81.4 - 83.4	5.4 - 5.5	386.3 - 395.4	66.8 - 68.8	63.4 - 64.9	366.4 - 375.9	24.8 - 25.4
84	76.8 - 78.8	81.1 - 83.1	5.4 - 5.5	391.7 - 400.9	66.8 - 68.8	63.5 - 65.0	364.5 - 374.0	25.2 - 25.7
85	76.4 - 78.4	80.7 - 82.7	5.3 - 5.5	397.0 - 406.4	66.8 - 68.8	63.5 - 65.0	362.6 - 372.1	25.5 - 26.1
86	76.0 - 78.0	80.4 - 82.4	5.3 - 5.5	402.3 - 411.9	66.8 - 68.8	63.6 - 65.1	360.7 - 370.2	25.9 - 26.5
87	75.6 - 77.6	80.0 - 82.0	5.3 - 5.4	407.6 - 417.3	66.9 - 68.9	63.6 - 65.1	359.4 - 368.9	26.2 - 26.9
88	75.2 - 77.2	79.7 - 81.7	5.3 - 5.4	412.9 - 422.7	66.9 - 68.9	63.7 - 65.2	357.4 - 367.0	26.6 - 27.2
89	74.8 - 76.8	79.3 - 81.3	5.2 - 5.4	418.1 - 428.1	66.9 - 68.9	63.7 - 65.2	355.5 - 365.1	27.0 - 27.6
90	74.5 - 76.5	79.0 - 81.0	5.2 - 5.4	423.4 - 433.4	66.9 - 68.9	63.7 - 65.3	354.1 - 363.6	27.3 - 28.0
91	74.1 - 76.1	78.6 - 80.6	5.2 - 5.3	428.5 - 438.8	67.0 - 69.0	63.8 - 65.3	352.7 - 362.3	27.7 - 28.3
92	73.7 - 75.7	78.3 - 80.3	5.2 - 5.3	433.7 - 444.1	67.0 - 69.0	63.8 - 65.3	350.8 - 360.4	28.0 - 28.7
93	73.3 - 75.3	77.9 - 79.9	5.1 - 5.3	438.8 - 449.3	67.0 - 69.0	63.9 - 65.4	348.9 - 358.5	28.4 - 29.0
94	72.9 - 74.9	77.6 - 79.6	5.1 - 5.2	443.9 - 454.6	67.0 - 69.0	63.9 - 65.4	347.0 - 356.6	28.7 - 29.4
95	72.5 - 74.5	77.2 - 79.2	5.1 - 5.2	449.0 - 459.8	67.1 - 69.1	63.9 - 65.5	345.6 - 355.2	29.1 - 29.7
96	72.1 - 74.1	76.9 - 78.9	5.0 - 5.2	454.1 - 465.0	67.1 - 69.1	64.0 - 65.5	343.7 - 353.3	29.4 - 30.1
97	71.7 - 73.7	76.5 - 78.5	5.0 - 5.2	459.1 - 470.1	67.1 - 69.1	64.0 - 65.5	341.8 - 351.4	29.7 - 30.4
98	71.3 - 73.3	76.2 - 78.2	5.0 - 5.1	464.1 - 475.3	67.1 - 69.1	64.0 - 65.6	339.9 - 349.4	30.1 - 30.8
99	70.9 - 72.9	75.8 - 77.8	5.0 - 5.1	469.0 - 480.4	67.2 - 69.2	64.1 - 65.6	338.5 - 348.1	30.4 - 31.1
100	70.5 - 72.5	75.5 - 77.5	4.9 - 5.1	474.0 - 485.4	67.2 - 69.2	64.1 - 65.7	336.6 - 346.1	30.8 - 31.5

Rearing Targets for TETRA COUNTRY Pullets



Production Targets for TETRA COUNTRY Layers



The content of this Management Guide is accurate and reliable at the time of publication. However Bábolna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, Bábolna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Bábolna TETRA Ltd.

BÁBOLNA TETRA Ltd.

2943 Bábólna, Radnóti M. u. 16., Hungary

Tel.: +36 95 345 008

E-mail: info@babolnatetra.com

www.babolnatetra.com

**TETRA COUNTRY
2023**



NATIONAL RESEARCH, DEVELOPMENT
AND INNOVATION OFFICE
HUNGARY

**PROGRAM
FINANCED FROM
THE NRDI FUND**