



 **TETRA**
SELECTED FOR QUALITY

BÁBOLNA HARCO
COMMERCIAL LAYER
CHARTS AND GRAPHS

BÁBOLNA HARCO Commercial Layer Performance Specifications

Liveability	
0-17 weeks of age	97 - 98%
18-90 weeks of age	92 - 94%
Feed consumption	
0-17 weeks of age	6.5-6.9 kg
18-90 weeks of age (average)	115-125 g/day
Body weight	
At 17 weeks of age	1.49-1.61 kg
At 90 weeks of age	2.12-2.30 kg
Maturity	
Age at 50% production	140-150 days
Age at 90% production	160-170 days
Egg production per hen housed	
Peak production	93-95%
Production over 90%	25-27 weeks
Until 72 weeks of age	322-329
Until 80 weeks of age	366-375
Until 90 weeks of age	419-429
Egg mass per hen housed	
Until 72 weeks of age	20.5-20.9 kg
Until 80 weeks of age	23.4-24.0 kg
Until 90 weeks of age	27.0-27.7 kg
Egg weight (weekly average)	
Until 72 weeks of age	66.0-68.0 g
Until 80 weeks of age	66.5-68.5 g
Until 90 weeks of age	66.8-68.8 g
Average egg weight	63.8-65.3 g
Eggshell	
Shell strength	40 N
Shell colour	Brown

Weight Development and Feed Intake of BÁBOLNA HARCO Pullets

Age (weeks)	Body Weight (g)	Feed Consumption		Feed Type
	Range	Average (g/day)	Cumulative (kg)	
1	74 - 80	13	0.1	Starter I
2	132 - 143	21	0.2	
3	201 - 217	28	0.4	
4	285 - 309	35	0.7	
5	380 - 412	40	0.9	Starter II
6	496 - 538	46	1.3	
7	612 - 664	52	1.6	
8	718 - 778	56	2.0	
9	824 - 892	61	2.5	Grower
10	919 - 995	64	2.9	
11	1014 - 1098	68	3.4	
12	1109 - 1201	71	3.9	
13	1193 - 1293	75	4.4	
14	1267 - 1373	78	5.0	
15	1341 - 1453	82	5.5	
16	1415 - 1533	85	6.1	
17	1489 - 1613	90	6.7	
18	1563 - 1693	95	7.4	
19	1647 - 1785	100	8.1	Pre-layer

* Always check average body weight of the flock before switching to the next feed type level. If body weight is lower than stated in the Management Guide, do not move on from one diet to another. Control the body weight frequently, until birds reach their target weight.

Nutritional Recommendation for BÁBOLNA HARCO Pullets

Feed Type		Starter I	Starter II	Grower	Pre-layer
Age (weeks)		0-3	4-8	9-17	18-19
NUTRIENT					
Met. energy	MJ/kg	12.35	12.00	11.50	11.70
Met. energy	kcal/kg	2950	2870	2750	2800
Crude protein	%	20.00	18.00	15.50	17.50
AMINO ACIDS, TOTAL					
Lysine	%	1.20	1.00	0.75	0.80
Methionine	%	0.48	0.42	0.35	0.40
Methionine+cysteine	%	0.84	0.74	0.61	0.70
Threonine	%	0.75	0.65	0.50	0.60
Valine	%	0.93	0.78	0.60	0.65
Arginine	%	1.22	1.02	0.77	0.82
Tryptophan	%	0.24	0.22	0.17	0.18
Isoleucine	%	0.84	0.75	0.60	0.64
AMINO ACIDS, DIGESTIBLE					
Lysine	%	1.00	0.83	0.60	0.70
Methionine	%	0.40	0.35	0.30	0.35
Methionine+cysteine	%	0.70	0.60	0.50	0.58
Threonine	%	0.63	0.55	0.42	0.50
Valine	%	0.76	0.65	0.50	0.54
Arginine	%	1.02	0.84	0.63	0.68
Tryptophan	%	0.20	0.18	0.14	0.15
Isoleucine	%	0.69	0.62	0.49	0.52
Linoleic acid					
Linoleic acid	%	1.50	1.25	1.00	1.50
Calcium	%	1.00	1.00	1.00	2.50
Phosphorus, av.	%	0.48	0.44	0.38	0.44
Sodium	%	0.17	0.17	0.17	0.17
Chlorine	%	0.18	0.18	0.18	0.18

Weight Development and Feed Intake of BÁBOLNA HARCO Layers

Age (weeks)	Body Weight (g)	Feed Consumption	
	Range	Average (g/day)	Cumulative (kg)
20	1721 - 1865	103	0.7
21	1801 - 1951	106	1.5
22	1866 - 2022	109	2.2
23	1922 - 2082	111	3.0
24	1954 - 2116	113	3.8
25	1975 - 2139	114	4.6
26	1985 - 2151	115	5.4
27	1996 - 2162	116	6.2
28	2006 - 2174	117	7.0
29	2017 - 2185	118	7.8
30	2028 - 2196	119	8.7
35	2041 - 2211	120	12.9
40	2054 - 2226	120	17.1
45	2065 - 2237	121	21.3
50	2076 - 2248	121	25.5
55	2081 - 2255	122	29.8
60	2087 - 2261	122	34.1
65	2093 - 2267	123	38.4
70	2099 - 2273	123	42.7
75	2104 - 2280	124	47.0
80	2108 - 2284	124	51.3
85	2114 - 2290	125	55.7
90	2120 - 2296	125	60.1

* Feed amount must be adjusted to production intensity and uniformity. Check body weight weekly around peak production, increase daily feed amount for hens as production intensity rises.

Nutritional Recommendation for BÁBOLNA HARCO Layers with Average Daily Feed Consumption (120 g/day)

Feed Type		Layer I	Layer II	Layer III	Layer IV
Age (weeks)		19-45	46-65	66-80	81-90
Production		>90%	>80%	>70%	<70%
NUTRIENT					
Met. energy (MJ/kg)	Mj/kg	11.70	11.50	11.45	11.40
Met. energy (kcal/kg)	kcal/kg	2800	2750	2740	2725
Crude protein	%	17.00	16.40	15.70	15.00
AMINO ACIDS, TOTAL					
Lysine	%	0.84	0.80	0.78	0.75
Methionine	%	0.42	0.40	0.39	0.36
Methionine+cysteine	%	0.73	0.71	0.68	0.65
Threonine	%	0.58	0.56	0.55	0.52
Valine	%	0.67	0.64	0.62	0.60
Arginine	%	0.86	0.83	0.80	0.76
Tryptophan	%	0.17	0.16	0.16	0.15
Isoleucine	%	0.67	0.64	0.62	0.60
AMINO ACIDS, DIGESTIBLE					
Lysine	%	0.68	0.66	0.64	0.61
Methionine	%	0.36	0.35	0.32	0.30
Methionine+cysteine	%	0.60	0.59	0.56	0.54
Threonine	%	0.47	0.46	0.45	0.42
Valine	%	0.55	0.53	0.51	0.49
Arginine	%	0.71	0.67	0.65	0.62
Tryptophan	%	0.14	0.13	0.13	0.12
Isoleucine	%	0.55	0.52	0.50	0.49
Linoleic acid	%	1.80	1.75	1.65	1.55
Calcium	%	3.80	3.90	4.00	4.10
Phosphorus, av.	%	0.40	0.38	0.36	0.35
Sodium	%	0.16	0.16	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

* When changing layer rations production level is more important than the actual age of the flock.

In the case of higher feed intake, a moderate-intensity diet is needed, while with a lower than average feed consumption, the diet should be more concentrated as shown below.

Nutritional Recommendation for BÁBOLNA HARCO Layers with Different Daily Feed Consumptions


Feed Type		Layer I			Layer II			Layer III			Layer IV		
		115 g	120 g	125 g	115 g	120 g	125 g	115 g	120 g	125 g	115 g	120 g	125 g
NUTRIENT													
Crude protein	%	17.80	17.00	16.20	17.10	16.40	15.70	16.40	15.70	15.00	15.70	15.00	14.30
AMINO ACIDS, TOTAL													
Lysine	%	0.87	0.84	0.80	0.84	0.80	0.76	0.81	0.78	0.74	0.78	0.75	0.71
Methionine	%	0.44	0.42	0.40	0.42	0.40	0.38	0.41	0.39	0.37	0.38	0.36	0.35
Methionine+cysteine	%	0.76	0.73	0.69	0.74	0.71	0.68	0.71	0.68	0.65	0.68	0.65	0.63
Threonine	%	0.61	0.58	0.56	0.59	0.56	0.54	0.57	0.55	0.52	0.54	0.52	0.49
Valine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.62	0.60	0.57
Arginine	%	0.90	0.86	0.82	0.86	0.83	0.79	0.84	0.80	0.76	0.80	0.76	0.73
Tryptophan	%	0.18	0.17	0.16	0.17	0.16	0.16	0.17	0.16	0.15	0.16	0.15	0.14
Isoleucine	%	0.70	0.67	0.64	0.67	0.64	0.61	0.65	0.62	0.59	0.63	0.60	0.57
AMINO ACIDS, DIGESTIBLE													
Lysine	%	0.71	0.68	0.65	0.69	0.66	0.63	0.67	0.64	0.61	0.64	0.61	0.58
Methionine	%	0.38	0.36	0.35	0.36	0.35	0.33	0.33	0.32	0.30	0.31	0.30	0.29
Methionine+cysteine	%	0.63	0.60	0.57	0.62	0.59	0.56	0.58	0.56	0.53	0.56	0.54	0.51
Threonine	%	0.49	0.47	0.45	0.48	0.46	0.44	0.47	0.45	0.43	0.44	0.42	0.40
Valine	%	0.57	0.55	0.52	0.56	0.53	0.51	0.53	0.51	0.49	0.51	0.49	0.46
Arginine	%	0.74	0.71	0.68	0.70	0.67	0.64	0.67	0.65	0.62	0.65	0.62	0.59
Tryptophan	%	0.15	0.14	0.13	0.14	0.13	0.13	0.13	0.13	0.12	0.13	0.12	0.12
Isoleucine	%	0.57	0.55	0.52	0.55	0.52	0.50	0.53	0.50	0.48	0.51	0.49	0.47
Linoleic acid	%	1.90	1.80	1.70	1.80	1.75	1.65	1.70	1.65	1.60	1.60	1.55	1.50
Calcium	%	3.90	3.80	3.70	4.10	3.90	3.80	4.20	4.00	3.90	4.30	4.10	4.00
Phosphorus, av.	%	0.42	0.40	0.38	0.40	0.38	0.36	0.38	0.36	0.35	0.36	0.35	0.33
Sodium	%	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16	0.17	0.16	0.16
Chlorine	%	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30	0.15-0.30

Production Targets for BÁBOLNA HARCO Layers


Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
19	8.3 - 10.3	8.3 - 10.3	0.6 - 0.7	0.6 - 0.7	44.2 - 46.2	40.6 - 50.3	26.3 - 32.6	0.0 - 0.0
20	24.3 - 26.3	24.3 - 26.3	1.7 - 1.8	2.3 - 2.6	47.2 - 49.2	44.8 - 50.2	82.0 - 88.8	0.1 - 0.1
21	54.1 - 56.1	54.2 - 56.2	3.8 - 3.9	6.1 - 6.5	50.3 - 52.3	48.2 - 51.4	194.1 - 201.3	0.3 - 0.3
22	78.9 - 80.9	79.1 - 81.1	5.5 - 5.7	11.6 - 12.2	52.8 - 54.8	50.5 - 52.8	296.9 - 304.5	0.6 - 0.6
23	88.6 - 90.6	88.9 - 90.9	6.2 - 6.3	17.8 - 18.5	54.8 - 56.8	52.1 - 54.1	345.9 - 353.7	0.9 - 1.0
24	91.0 - 93.0	91.4 - 93.4	6.4 - 6.5	24.2 - 25.0	56.3 - 58.3	53.3 - 55.1	364.9 - 372.9	1.3 - 1.4
25	92.6 - 94.6	93.1 - 95.1	6.5 - 6.6	30.6 - 31.6	57.5 - 59.5	54.3 - 55.9	379.1 - 387.3	1.7 - 1.7
26	92.9 - 94.9	93.4 - 95.4	6.5 - 6.6	37.1 - 38.3	58.4 - 60.4	55.0 - 56.6	386.2 - 394.5	2.1 - 2.1
27	93.2 - 95.2	93.8 - 95.8	6.5 - 6.7	43.7 - 44.9	59.1 - 61.1	55.7 - 57.2	392.1 - 400.5	2.5 - 2.5
28	93.3 - 95.3	94.0 - 96.0	6.5 - 6.7	50.2 - 51.6	59.7 - 61.7	56.3 - 57.8	396.4 - 404.9	2.9 - 2.9
29	93.2 - 95.2	93.9 - 95.9	6.5 - 6.7	56.7 - 58.3	60.2 - 62.2	56.8 - 58.2	399.3 - 407.8	3.3 - 3.3
30	93.1 - 95.1	93.9 - 95.9	6.5 - 6.7	63.2 - 64.9	60.6 - 62.6	57.2 - 58.7	401.5 - 410.1	3.7 - 3.8
31	93.0 - 95.0	93.9 - 95.9	6.5 - 6.7	69.8 - 71.6	60.9 - 62.9	57.6 - 59.0	403.0 - 411.7	4.1 - 4.2
32	92.9 - 94.9	93.9 - 95.9	6.5 - 6.6	76.3 - 78.2	61.2 - 63.2	57.9 - 59.3	404.5 - 413.2	4.5 - 4.6
33	92.8 - 94.8	93.9 - 95.9	6.5 - 6.6	82.8 - 84.9	61.5 - 63.5	58.2 - 59.6	406.0 - 414.8	4.9 - 5.0
34	92.7 - 94.7	93.8 - 95.8	6.5 - 6.6	89.2 - 91.5	61.8 - 63.8	58.5 - 59.9	407.6 - 416.4	5.3 - 5.4
35	92.6 - 94.6	93.8 - 95.8	6.5 - 6.6	95.7 - 98.1	62.0 - 64.0	58.8 - 60.2	408.4 - 417.2	5.7 - 5.8
36	92.5 - 94.5	93.8 - 95.8	6.5 - 6.6	102.2 - 104.7	62.2 - 64.2	59.0 - 60.4	409.3 - 418.1	6.1 - 6.3
37	92.3 - 94.3	93.7 - 95.7	6.5 - 6.6	108.7 - 111.3	62.4 - 64.4	59.2 - 60.6	409.7 - 418.6	6.5 - 6.7
38	92.1 - 94.1	93.6 - 95.6	6.4 - 6.6	115.1 - 117.9	62.6 - 64.6	59.4 - 60.8	410.1 - 419.0	6.9 - 7.1
39	91.9 - 93.9	93.4 - 95.4	6.4 - 6.6	121.5 - 124.5	62.8 - 64.8	59.6 - 61.0	410.5 - 419.4	7.3 - 7.5
40	91.7 - 93.7	93.3 - 95.3	6.4 - 6.6	128.0 - 131.0	63.0 - 65.0	59.8 - 61.2	410.9 - 419.9	7.7 - 7.9
41	91.5 - 93.5	93.2 - 95.2	6.4 - 6.5	134.4 - 137.6	63.2 - 65.2	60.0 - 61.4	411.3 - 420.3	8.2 - 8.3
42	91.3 - 93.3	93.1 - 95.1	6.4 - 6.5	140.8 - 144.1	63.3 - 65.3	60.1 - 61.6	411.0 - 420.0	8.6 - 8.8
43	91.0 - 93.0	92.8 - 94.8	6.4 - 6.5	147.1 - 150.6	63.4 - 65.4	60.3 - 61.7	410.3 - 419.3	9.0 - 9.2
44	90.8 - 92.8	92.6 - 94.6	6.4 - 6.5	153.5 - 157.1	63.5 - 65.5	60.4 - 61.9	410.1 - 419.1	9.4 - 9.6
45	90.5 - 92.5	92.4 - 94.4	6.3 - 6.5	159.8 - 163.6	63.6 - 65.6	60.6 - 62.0	409.3 - 418.4	9.8 - 10.0
46	90.2 - 92.2	92.2 - 94.2	6.3 - 6.5	166.1 - 170.1	63.7 - 65.7	60.7 - 62.1	408.6 - 417.7	10.2 - 10.4
47	89.9 - 91.9	92.0 - 94.0	6.3 - 6.4	172.4 - 176.5	63.8 - 65.8	60.8 - 62.2	407.9 - 417.0	10.6 - 10.9
48	89.6 - 91.6	91.7 - 93.7	6.3 - 6.4	178.7 - 182.9	63.9 - 65.9	61.0 - 62.4	407.2 - 416.3	11.0 - 11.3
49	89.3 - 91.3	91.5 - 93.5	6.3 - 6.4	184.9 - 189.3	64.0 - 66.0	61.1 - 62.5	406.4 - 415.5	11.4 - 11.7
50	89.0 - 91.0	91.3 - 93.3	6.2 - 6.4	191.2 - 195.7	64.1 - 66.1	61.2 - 62.6	405.7 - 414.8	11.8 - 12.1
51	88.7 - 90.7	91.1 - 93.1	6.2 - 6.3	197.4 - 202.0	64.2 - 66.2	61.3 - 62.7	404.9 - 414.1	12.2 - 12.5
52	88.4 - 90.4	90.8 - 92.8	6.2 - 6.3	203.6 - 208.3	64.3 - 66.3	61.4 - 62.8	404.2 - 413.3	12.6 - 12.9
53	88.0 - 90.0	90.5 - 92.5	6.2 - 6.3	209.7 - 214.6	64.4 - 66.4	61.5 - 62.9	403.0 - 412.1	13.0 - 13.3
54	87.6 - 89.6	90.2 - 92.2	6.1 - 6.3	215.9 - 220.9	64.5 - 66.5	61.6 - 63.0	401.8 - 410.9	13.4 - 13.8

Age (weeks)	Egg Production (%)		Egg Number		Egg Weight (g)		Egg Mass	
	Hen Housed	Hen Day	Weekly	Cumulative	Weekly	Cumulative	Weekly (g)	Cumulative (kg)
	Range	Range	Range	Range	Range	Range	Range	Range
55	87.2 - 89.2	89.9 - 91.9	6.1 - 6.2	222.0 - 227.2	64.6 - 66.6	61.7 - 63.1	400.6 - 409.7	13.8 - 14.2
56	86.9 - 88.9	89.5 - 91.5	6.1 - 6.2	228.1 - 233.4	64.7 - 66.7	61.8 - 63.2	399.8 - 409.0	14.2 - 14.6
57	86.5 - 88.5	89.2 - 91.2	6.1 - 6.2	234.1 - 239.6	64.8 - 66.8	61.8 - 63.3	398.6 - 407.8	14.6 - 15.0
58	86.1 - 88.1	88.9 - 90.9	6.0 - 6.2	240.1 - 245.7	64.9 - 66.9	61.9 - 63.3	397.3 - 406.5	15.0 - 15.4
59	85.7 - 87.7	88.6 - 90.6	6.0 - 6.1	246.1 - 251.9	65.0 - 67.0	62.0 - 63.4	396.1 - 405.3	15.4 - 15.8
60	85.3 - 87.3	88.2 - 90.2	6.0 - 6.1	252.1 - 258.0	65.1 - 67.1	62.1 - 63.5	394.8 - 404.1	15.8 - 16.2
61	84.9 - 86.9	87.9 - 89.9	5.9 - 6.1	258.0 - 264.1	65.2 - 67.2	62.2 - 63.6	393.6 - 402.8	16.2 - 16.6
62	84.5 - 86.5	87.6 - 89.6	5.9 - 6.1	264.0 - 270.1	65.3 - 67.3	62.2 - 63.7	392.3 - 401.6	16.6 - 17.0
63	84.1 - 86.1	87.2 - 89.2	5.9 - 6.0	269.9 - 276.2	65.4 - 67.4	62.3 - 63.7	391.0 - 400.3	17.0 - 17.4
64	83.7 - 85.7	86.9 - 88.9	5.9 - 6.0	275.7 - 282.1	65.5 - 67.5	62.4 - 63.8	389.8 - 399.1	17.4 - 17.8
65	83.3 - 85.3	86.6 - 88.6	5.8 - 6.0	281.5 - 288.1	65.5 - 67.5	62.5 - 63.9	387.9 - 397.2	17.8 - 18.2
66	83.0 - 85.0	86.2 - 88.2	5.8 - 6.0	287.4 - 294.1	65.6 - 67.6	62.5 - 64.0	387.1 - 396.4	18.2 - 18.6
67	82.6 - 84.6	85.9 - 87.9	5.8 - 5.9	293.1 - 300.0	65.7 - 67.7	62.6 - 64.0	385.8 - 395.2	18.6 - 19.0
68	82.2 - 84.2	85.6 - 87.6	5.8 - 5.9	298.9 - 305.9	65.7 - 67.7	62.7 - 64.1	383.9 - 393.3	18.9 - 19.4
69	81.8 - 83.8	85.2 - 87.2	5.7 - 5.9	304.6 - 311.8	65.8 - 67.8	62.7 - 64.2	382.7 - 392.0	19.3 - 19.8
70	81.4 - 83.4	84.9 - 86.9	5.7 - 5.8	310.3 - 317.6	65.9 - 67.9	62.8 - 64.2	381.4 - 390.7	19.7 - 20.2
71	81.0 - 83.0	84.6 - 86.6	5.7 - 5.8	316.0 - 323.4	65.9 - 67.9	62.8 - 64.3	379.5 - 388.8	20.1 - 20.6
72	80.6 - 82.6	84.2 - 86.2	5.6 - 5.8	321.6 - 329.2	66.0 - 68.0	62.9 - 64.4	378.2 - 387.6	20.5 - 20.9
73	80.2 - 82.2	83.9 - 85.9	5.6 - 5.8	327.2 - 334.9	66.1 - 68.1	63.0 - 64.4	376.9 - 386.3	20.8 - 21.3
74	79.8 - 81.8	83.6 - 85.6	5.6 - 5.7	332.8 - 340.7	66.1 - 68.1	63.0 - 64.5	375.0 - 384.4	21.2 - 21.7
75	79.5 - 81.5	83.2 - 85.2	5.6 - 5.7	338.4 - 346.4	66.2 - 68.2	63.1 - 64.5	374.1 - 383.5	21.6 - 22.1
76	79.1 - 81.1	82.9 - 84.9	5.5 - 5.7	343.9 - 352.0	66.3 - 68.3	63.1 - 64.6	372.8 - 382.2	22.0 - 22.5
77	78.7 - 80.7	82.5 - 84.5	5.5 - 5.6	349.4 - 357.7	66.3 - 68.3	63.2 - 64.7	370.9 - 380.3	22.3 - 22.9
78	78.3 - 80.3	82.2 - 84.2	5.5 - 5.6	354.9 - 363.3	66.4 - 68.4	63.2 - 64.7	369.6 - 379.0	22.7 - 23.2
79	77.9 - 79.9	81.9 - 83.9	5.5 - 5.6	360.4 - 368.9	66.4 - 68.4	63.3 - 64.8	367.7 - 377.1	23.1 - 23.6
80	77.5 - 79.5	81.5 - 83.5	5.4 - 5.6	365.8 - 374.5	66.5 - 68.5	63.3 - 64.8	366.4 - 375.8	23.4 - 24.0
81	77.1 - 79.1	81.2 - 83.2	5.4 - 5.5	371.2 - 380.0	66.5 - 68.5	63.4 - 64.9	364.5 - 373.9	23.8 - 24.4
82	76.7 - 78.7	80.9 - 82.9	5.4 - 5.5	376.6 - 385.5	66.6 - 68.6	63.4 - 64.9	363.1 - 372.6	24.2 - 24.7
83	76.3 - 78.3	80.5 - 82.5	5.3 - 5.5	381.9 - 391.0	66.6 - 68.6	63.5 - 65.0	361.2 - 370.7	24.5 - 25.1
84	75.9 - 77.9	80.2 - 82.2	5.3 - 5.5	387.2 - 396.5	66.7 - 68.7	63.5 - 65.0	359.9 - 369.3	24.9 - 25.5
85	75.6 - 77.6	79.8 - 81.8	5.3 - 5.4	392.5 - 401.9	66.7 - 68.7	63.6 - 65.1	358.4 - 367.9	25.2 - 25.8
86	75.2 - 77.2	79.5 - 81.5	5.3 - 5.4	397.8 - 407.3	66.7 - 68.7	63.6 - 65.1	356.5 - 366.0	25.6 - 26.2
87	74.8 - 76.8	79.1 - 81.1	5.2 - 5.4	403.0 - 412.7	66.7 - 68.7	63.6 - 65.2	354.6 - 364.1	26.0 - 26.6
88	74.4 - 76.4	78.8 - 80.8	5.2 - 5.3	408.2 - 418.0	66.8 - 68.8	63.7 - 65.2	353.3 - 362.8	26.3 - 26.9
89	74.0 - 76.0	78.4 - 80.4	5.2 - 5.3	413.4 - 423.3	66.8 - 68.8	63.7 - 65.3	351.4 - 360.9	26.7 - 27.3
90	73.6 - 75.6	78.1 - 80.1	5.2 - 5.3	418.5 - 428.6	66.8 - 68.8	63.8 - 65.3	349.5 - 359.0	27.0 - 27.7

Rearing Targets for BÁBOLNA HARCO Pullets



Production Targets for BÁBOLNA HARCO Layers



The content of this Management Guide is accurate and reliable at the time of publication. However Bábolna TETRA Ltd. does not accept responsibility for any errors, omissions or inaccuracies of the information contained herein. The information contained in this Guide is to be used only as a guide to assist with poultry management. It cannot cover all unforeseen circumstances related to local environmental and disease conditions. If further assistance is required, please do not hesitate to contact our sales advisors for more expert guidance. In no event, Bábolna TETRA Ltd. is liable for any damages arising out of or in connection with the use of the information and suggestions included in this guide. All rights reserved. This Management Guide or any portion thereof may not be reproduced or used in any manner whatsoever without the express written permission of Bábolna TETRA Ltd.

BÁBOLNA TETRA Ltd.

2943 Bábolna, Radnóti M. u. 16., Hungary

Tel.: +36 95 345 008

E-mail: info@babolnatetra.com

www.babolnatetra.com

BÁBOLNA HARCO
2023